UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/602,678	06/25/2003	Michio Seki	04329.3081	1969
	7590 11/26/2008 AN, HENDERSON, FARABOW, GARRETT & DUNNER		EXAMINER	
LLP			NGUYEN, DUSTIN	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413			ART UNIT	PAPER NUMBER
			2454	
			MAIL DATE	DELIVERY MODE
			11/26/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/602,678	SEKI ET AL.
Office Action Summary	Examiner	Art Unit
	DUSTIN NGUYEN	2454
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the o	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be till will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on 14 (2a) ☐ This action is FINAL . 2b) ☐ This action is FINAL . 2b) ☐ This action is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 8,9 and 14-16 is/are pending in the a 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 8,9 and 14-16 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	awn from consideration.	
	0.5	
9) The specification is objected to by the Examina 10) The drawing(s) filed on is/are: a) accomposed as a composition and a composition and a composition to the separatement drawing sheet(s) including the correct and the correct an	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat* * See the attached detailed Office action for a list.	nts have been received. Its have been received in Applicat Pority documents have been receiv Bu (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Application/Control Number: 10/602,678 Page 2

Art Unit: 2454

DETAILED ACTION

1. Claims 8, 9 and 14-16 are presented for examination.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/14/2008 has been entered.

Response to Arguments

- 3. Applicant's arguments filed 04/22/2008 have been fully considered but they are not persuasive.
- 4. As per remarks, Applicants' argued that (1) Nishikawa fails to disclose "a server apparatus comprising: a body ...; a network process unit provided in the body ...; and an AV function unit provided in the body ...".

Application/Control Number: 10/602,678 Page 3

Art Unit: 2454

5. As to point (1), Examiner respectfully disagrees since Nishikawa discloses an AV system server 22 [i.e. a server apparatus comprising a body] [22, Figure 2; and paragraph 0032], including communication unit 50 for connecting controller 42 or mobile terminal 40 to TV 26 or VCR 28 [i.e. a network process unit provided in the body] [50, Figures 1 and 2; and paragraphs 0034, 0051, and 0054]. In addition, Nishikawa discloses the AV system server 22 including an appliance selector for selecting appliance and an AV system control table 100 describing the function inside the AV system network 20 for controlling appliance [i.e. AV function unit provided in the body] [Figures 2 and 3; and paragraphs 0034, 0038 and 0039].

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 8, 9 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishikawa et al. [US Patent Application No 2002/0062392], in view of Munezane [US Patent No 7,058,458].
- 8. As per claim 8, Nishikawa discloses the invention as claimed including a server apparatus [i.e. AV system server] [22, Figure 1; and paragraphs 0030 and 0031] comprising:

 a body [Figure 2; and paragraph 0032];

Art Unit: 2454

a network process unit provided in the body and configured to connect an electronic apparatus [i.e. communication controller] [50, Figure 2; and paragraph 0034], which transmits/receives data via a first network, to a second network through the server apparatus [i.e. backbone system network and AV system network] [12, 24, Figure 1; and paragraphs 0039 and 0054]; and

an AV function unit provided in the body and configured to process video data and sound data [i.e. the AV system server 22 including an appliance selector for selecting appliance and an AV system control table 100 describing the function inside the AV system network 20 for controlling appliance] [Figures 2 and 3; and paragraphs 0034, 0040-0044; and 0051]; and

the network process unit receives, from the electronic apparatus [i.e. receive a file and control appliance] [paragraphs 0038 and 0039].

Nishikawa does not specifically

the AV function unit being provided with a normal operation mode and a standby mode serving to reduce power consumption;

the network processing unit obtaining a current status of the AV function unit, returning a communication packet containing a command indicating the current status of the AV function unit, when the network process unit receives, from the electronic apparatus, a communication packet containing a command to check the current status of the AV function unit, and switching an operation of the AV function unit between the normal operation mode and the standby mode, when the network process unit receives, from the electronic apparatus, a communication packet containing a command requesting that the operation of the AV function unit be changed.

Munezane discloses

Art Unit: 2454

Page 5

the AV function unit being provided with a normal operation mode and a standby mode serving to reduce power consumption [i.e. power controller for power-on/power-off audio/video device] [Figure 1; Abstract; and col 1, lines 6-10];

the network processing unit obtaining a current status of the AV function unit [i.e. operation state of the devices] [Figure 9; col 1, line 65-col 2, lines 2; and col 9, lines 12-19], returning a communication packet containing a command indicating the current status of the AV function unit [i.e. generates the result according to a response format and then transmits the result to the control device] [col 3, lines 66-col 4, lines 5; and col 4, lines 57-62], when the network process unit receives, from the electronic apparatus, a communication packet containing a command to check the current status of the AV function unit [i.e. check the power source] [col 1, lines 34-37; and col 4, lines 63-col 5, lines 7], and switching an operation of the AV function unit between the normal operation mode and the standby mode, when the network process unit receives, from the electronic apparatus, a communication packet containing a command requesting that the operation of the AV function unit be changed [i.e. power control section which performs power-on/power-off of the device] [Figure 5; col 2, lines 11-17; col 4, lines 48-57; and col 4, lines 24-32].

It would have been obvious to a person skill in the art at the time the invention was made to combine the teaching of Nishikawa and Munezane because the teaching of Munezane on power control would enable to realize a power controller which enables power-on/power-off to be performed corresponding to the type and the operational state of the controlled device, so that power saving can be implemented [Munezane, col 1, lines 58-col 2, lines 2].

Art Unit: 2454

9. As per claim 9, Munezane discloses wherein, upon switching of operation of the AV function unit, the network process unit notifies the electronic apparatus that the operation of the AV function unit has been switched [i.e. return result] [col 4, lines 57-col 5, lines 5].

Page 6

As per claim 14, it is rejected for similar reasons as stated above in claim 1. Furthermore, 10. Nishikawa does not specifically disclose a power-on command for causing the AV function unit to recover from the standby state, a power supply standby command for causing the AV function unit to shift to the standby mode, cause the AV function unit to recover from or shift to the standby mode, when a detecting unit configured to detect a power supply control packet containing a power-on command or the power supply standby command. Munezane discloses a power-on command for causing the AV function unit to recover from the standby state, a power supply standby command for causing the AV function unit to shift to the standby mode, cause the AV function unit to recover from or shift to the standby mode, when a detecting unit configured to detect a power supply control packet containing a power-on command or the power supply standby command [i.e. power control command for power-on/power-off device] [Figure 5; col 2, lines 3-17; and col 4, lines 41-col 5, lines 5]. It would have been obvious to a person skill in the art at the time the invention was made to combine the teaching of Nishikawa and Munezane because the teaching of Munezane on power control would enable to realize a power controller which enables power-on/power-off to be performed corresponding to the type and the operational state of the controlled device, so that power saving can be implemented [Munezane, col 1, lines 58-col 2, lines 2].

Art Unit: 2454

11. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishikawa et al. [US Patent Application No 2002/0062392], in view of Munezane [US Patent No 7,058,458], and further in view of Morris , Jr. et al. [US Patent No 6,326,844].

Page 7

12. As per claim 15, Nishikawa and Munezane does not specifically discloses an embedded controller configured to control power supply to the AV function unit for interrupting the power supply; and an up/down signal line which is arranged between the network process unit and the embedded controller, the controlling unit of the network process unit outputting an up/down signal providing an instruction to supply power to the AV function unit or to interrupt the power supply on the up/down signal line. Morris discloses an embedded controller configured to control power supply to the AV function unit for interrupting the power supply; and an up/down signal line which is arranged between the network process unit and the embedded controller, the controlling unit of the network process unit outputting an up/down signal providing an instruction to supply power to the AV function unit or to interrupt the power supply on the up/down signal line [i.e. control unit sends a turn-on signal to switch which activates the main power supply [Figure 1; col 2, lines 29-34, and lines 50-60; and col 3, lines 31-36]. It would have been obvious to a person skill in the art at the time the invention was made to combine the teaching of Nishikawa, Munezane and Morris because the teaching of Morris on power supply would enable to reduce the effect of input signal transients on the supply voltages of an amplifier [Morris, col 1, lines 62-64].

Application/Control Number: 10/602,678 Page 8

Art Unit: 2454

13. As per claim 16, Munezane discloses a status signal line which is arranged between the

network process unit and the embedded controller, the embedded controller being configured to

output a status signal indicating a status of the AV function unit on the status signal line [Figure

9; and col 9, lines 12-19].

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Dustin Nguyen whose telephone number is (571) 272-3971. The

examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nathan Flynn can be reached at (571) 272-1915. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Dustin Nguyen/

Primary Examiner, Art Unit 2454

Page 9

Art Unit: 2454